

©

Government of Kerala
കേരള സർക്കാർ
2012



Reg. No. റജി. നമ്പർ
KL/TV(N)/12/12-14

KERALA GAZETTE

കേരള ഗസറ്റ്

PUBLISHED BY AUTHORITY

അധികാരികമായി പ്രസിദ്ധീകൃതമായ

Vol. LVII
വാല്യം 57

THIRUVANANTHAPURAM, TUESDAY
തിരുവനന്തപുരം, ചേന്നൈ

14th August 2012
2012 ആഗസ്റ്റ് 14
23rd Sravana 1934
1934 ശ്രാവണം 23

No.
നമ്പർ

33

PART III

Stores Purchase

Harbour Engineering Department

SHORT TENDER NOTICE

No. 7136/D4/12/CE.

23rd July 2012.

Sealed tenders are invited in the prescribed form for the supply of three numbers Auto Focus ‘Total Station’ for the use of Harbour Engineering Department.

The tender should be superscribed ‘Supply of Total Stations for Harbour Engineering Department’ and addressed to the Chief Engineer, Harbour Engineering Department, Kamaleswaram, Manacaud P. O., Thiruvananthapuram- 695 009, so as to reach on or before 5-9-2012 at 3 p. m. Late tenders will not be accepted. The tenders will be opened at 3.30 p. m. on 5-9-2012 in the presence of such tenderers or their authorized representatives who will be present at that time.

Intending tenderers may, on application to the Chief Engineer, Harbour Engineering Department to obtain the requisite tender forms, on which, tenders should be submitted. Application for the tender form should be accompanied by a cash remittance of 2,800 + 5% VAT which is the price for a tender form and which is not refundable under any circumstances. Cheques, Postal Orders, Stamps, etc. will not be accepted towards the cost of tender forms. The tender forms are not transferable. Sale of tender forms will be from 13-8-2012 to 20-8-2012 and will be closed at 1 p. m. on 20-8-2012.

Tenderers who desire to get tender documents by post shall have remit 2,800 + 5% VAT + 50 (for postage charges), by money order or in the form of demand draft from a nationalised bank, in favour of 'The Chief Engineer, Harbour Engineering Department', payable at Thiruvananthapuram. Cheque, Postal Order, etc., will not be accepted towards the cost of forms, not will the forms be sent by V. P. P.

The tenderers should send along with his tender a preliminary agreement in the prescribed proforma attached along with the tender schedule, executed and signed on the Kerala Stamp Paper worth 100. The tenders should also accompanied by EMD, which is 1% of the quoted amount, rounded to nearest higher 50 Rupee, as demand draft pledged in favour of 'The Chief Engineer, Harbour Engineering Department, Thiruvananthapuram', from any of the nationalised bank payable at Thiruvananthapuram.

The quoted rate should be inclusive all cost of the instrument and accessories, taxes and duties, delivery of each instrument and accessories at different offices under Harbour Engineering Department in Kerala, installation and demonstration, etc. Maximum period of guarantee that can be given detailed specifications and period of delivery not exceeding one month should be shown separately. All other conditions prevailing in Government departments, for the supply of stores is applicable to this tender also.

ഹാർബർ എഞ്ചിനീയറിംഗ് വകുപ്പിലേക്ക് ചുവടെ സൂചിപ്പിച്ചിരിക്കുന്ന നിബന്ധനകൾ പ്രകാരം 'Auto Focus Total Station—3 എംബി' സാഹചര്യ ചെയ്യുന്നതിലേക്കുവേണ്ടി ദർശാസ്വകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ദർശാസ്വകൾ കവറിനുമുകളിൽ "Total Station സാഹചര്യ ചെയ്യുന്നതിനുള്ള ദർശാസ്വ" എന്ന് രേഖപ്പെടുത്തിയിരിക്കണം. ദർശാസ്വകൾ ചീഫ് എഞ്ചിനീയർ, ഹാർബർ എഞ്ചിനീയറിംഗ് വകുപ്പ്, കമ്ലേശ്വരം, മണക്കാട് പി. ഓ., തിരുവന്നന്തപുരം-9 എന്ന വിലാസത്തിൽ സമർപ്പിക്കേണ്ടതാണ്. ദർശാസ്വകൾ സമർപ്പിക്കേണ്ട അവസാന തീയതി 5-9-2012 രേഖക്കുറിച്ച് 3 മണി വരെയാണ്. വൈകി ലഭിക്കുന്ന ദർശാസ്വകൾ സീക്രിക്കറ്റുന്നതല്ല. ദർശാസ്വകൾ അനേകംവിസം വൈകിട്ട് 3.30 മണിക്ക് ഹാജരുള്ള കരാറുകാരുടെയോ അവരുടെ പ്രതിനിധികളുടെയോ സാമ്പിഡ്യത്തിൽ തുറക്കുന്നതാണ്.

ദർശാസ്വ ഫോമുകൾ ചീഫ് എഞ്ചിനീയർ, ഹാർബർ എഞ്ചിനീയറിംഗ് വകുപ്പ്, കമ്ലേശ്വരം ഓഫീസിൽനിന്നും 13-8-2012 മുതൽ 20-8-2012-ന് ഉച്ചയ്ക്ക് ഒരു മണിവരെ 2,800 + 5% നികുതി ഉൾപ്പെടെ അടച്ചായി ലഭിക്കുന്നതാണ്. ദർശാസ്വ ഫോമുകൾ കൈമാറും ചെയ്യാൻ പാടുള്ളതല്ല. ദർശാസ്വ ഫോമുകൾ തപാലിൽ ലഭിക്കേണ്ടവർ 2,800 + 5% നികുതി + 50 പോസ്റ്റ് ചാർജ്ജ് സഹിതം മണിയോർഡിൾ അല്ലെങ്കിൽ ചീഫ് എഞ്ചിനീയർ, ഹാർബർ എഞ്ചിനീയറിംഗ് വകുപ്പ്, തിരുവന്നന്തപുരം എന്ന പേരിൽ പൊതുമേഖലാ ബാങ്കിൽ നിന്നും എടുത്തതുവും തിരുവന്നന്തപുരം മാരാവുന്നതുമായ ഡിമാന്റ് ഡ്രാഫ്റ്റ് രൂപത്തിൽ മുകളിൽ സൂചിപ്പിച്ചിരിക്കുന്ന അധ്യാളപ്പീടിൽ അപേക്ഷിക്കേണ്ടതാണ്. ചെക്ക്, പോസ്റ്റ് ഓഫീസ് അർബർ എന്നിവ സീക്രിക്കറ്റുന്നതല്ല.

ദർശാസ്വ പ്രമാണത്തോടൊപ്പം 100 വിലയുള്ള കേരള സർക്കാർ മുദ്രപ്പത്തിൽ ദർശാസ്വ പ്രമാണങ്ങളുടെ കുടെ നൽകുന്ന മാതൃകയിലുള്ള പ്രാഥമിക ഉടന്തി പ്രീടി സമർപ്പിക്കേണ്ടതാണ്. അതോടൊപ്പം തിരുവന്നന്തപുരം ചീഫ് എഞ്ചിനീയറിംഗ് വകുപ്പ്, മണക്കാട് പി. ഓ., തിരുവന്നന്തപുരത്തെ ഏതെങ്കിലും നാഷണലേസ്റ്റ് ബാങ്കിൽ മാരാവുന്നതും കാട്ട് ചെയ്ത തുകയുടെ ഒരു ശതമാനത്തിന് (50-ന് മുകളിലേക്ക് ക്രമപ്പെടുത്തിയത്) തുല്യമായിട്ടുള്ള തുകയ്ക്കുള്ള ഡിമാന്റ് ഡ്രാഫ്റ്റ് നിരത്രവൃദ്ധമായി ഉള്ളടക്കം ചെയ്യേണ്ടതാണ്.

ദർശാസ്വ സമർപ്പിക്കുന്നവർ അവർ സമർപ്പിക്കുന്ന മെഷീൻ മോഡലുകളുടെ Detailed Specification-നും അതോടൊപ്പം വിൽപ്പനാനന്തരം നൽകാൻ ഉദ്ദേശിക്കുന്ന പരമാവധി വാറ്റി സംബന്ധിച്ചും ഉള്ള വിവരങ്ങൾ ദർശാസ്വകളോടൊപ്പം നൽകേണ്ടതാണ്. ദർശാസ്വിൽ സാധാരണങ്ങളുടെ വില, നികുതികൾ, ഡ്യൂട്ടി എന്നിവ ഉൾപ്പെടെ ഓരോ യൂണിറ്റ് വീതം ഹാർബർ എഞ്ചിനീയറിംഗ് വകുപ്പിൽക്കൂടി കേരളത്തിലെ വിവിധ ഓഫീസുകളിൽ സ്ഥാപിച്ചിരിക്കുന്ന ഉൾപ്പെടെയുള്ള തുക രേഖപ്പെടുത്തേണ്ടതാണ്. ദർശാസ്വ സംബന്ധിച്ചും സർക്കാരിൽ എല്ലാ വ്യവസ്ഥകളും ഈ ദർശാസ്വകളും ബാധകമാണ്.

SPECIFICATION

(All hardware, software and accessories must be from original equipment manufacturer)

Total station with laser plummet and with:

Accuracy: 5 second (angular) 1mm + 1.5ppm (distance) with reflector with a measurement time of 3 second or better.

Least Count: 0.1 second angular, 0.1mm (distance)

Magnification: 30X or better

Measurement Range: Minimum 3,000 m with single prism under average atmospheric conditions 30 m reflector less option for measuring without reflector

Display: LCD display with minimum 150 x 250 pixels graphics or better

Key Board: Alphanumeric key board with trigger keys and function keys.

Memory: At least 1,00,000 fix points in IDEX/USER definable formats/ASCII/GSI/Direct Auto CAD formats.

Compatibility: Data should be able to interchangeable between GPS and total station without any data conversion.

Battery: Rechargeable Li ion with 20 hours of operation-2 Nos. (one spare)

Accessories: Machine with laser plummet, tribrach, tripod (wooden/aluminium and telescopic), prism with pole (2 Nos.) battery charger, two way communication software, data cable.

One circular bubble in tribrach.

Alpha numeric keyboard (one side only, second side keyboard and display at extra cost).

Essential Accessories

Single prism assembly comprising of, single prism holder and target plate tilting type, suitable for mounting on range pole or on tribrach adaptor. Range pole with bubble 2 meter x 2 sections telescopic type with graduations and bipod.

In strong carrying case with one data transfer cable, one data transfer software DL-01, two numbers battery, one charger, one Tommy pin, one screw driver, one rain cover, one wooden stand, one CD containing instruction manual, one reader writer unit and one SD card, one side display, detachable Tribrach, SD card slot, mini USB port, RS-232C port.

(Sd.)

(Sd.)

Office of the Chief Engineer, *Chief Engineer,*
Kamaleswaram, Manacadu P. O., (For and on behalf of
Thiruvananthapuram. the Governor of Kerala).